


TempTron 607 Ver t090



Digital input connectors

DIG 1	Water count
DIG 2	Feed count
DIG 3	
DIG 4	


Analog input connectors

IN 1	Temperature sensor 1
IN 2	Temperature sensor 2
IN 3	Temperature sensor 3
IN 4	Temperature sensor 4
IN 5	Temperature sensor 5
IN 6	Humidity sensor

Analog outputs

Out 1	Light out
Out 2	Heat out

Relay connections



Relay connections

Relay 1	Alarm
Relay 2	FAN_RELAY
Relay 3	Flap1 open
Relay 4	Flap1 close
Relay 5	Flap2 open
Relay 6	Flap2 close
Relay 7	LIGHT_RELAY
Relay 8	IN_COOL_RELAY

Hidden function list

Hidden Functions are functions are not found on the front panel function list and can be seen only after they are unlocked.

To unlock hidden function, follow these steps:

- A. Go to the time function (function 01)
- B. Push on “PROG”
- C. Enter “3331” and then press "Enter".

Now the hidden functions will be unlocked and can be accessed.

<u>/* 58 */ LockCode,</u>
<u>/* 59 */ Navr,</u>
<u>/* 60 */ NetName,</u>
<u>/* 61 */ Dig inputs,</u>
<u>/* 62 */ Feed Mode, // 0 - feed count by time, 1 - feed count by pulse</u>
<u>/* 63 */ Flap1 Sensors,</u>
<u>/* 64 */ Flap2 Sensors,</u>
<u>/* 65 */ Heat Sensors,</u>
<u>/* 66 */ Protocol,</u>
<u>/* 67 */ Heat Reverse, // 0 -work 0-10V 1 – work 10-0V</u>
<u>/* 68 */ Version</u>