


# TempTron 607 Ver o300



## Digital input connectors

DIG 1	
DIG 2	Water count
DIG 3	Feed count
DIG 4	Speed alarm


## Analog input connectors

IN 1	Temperature sensor 1
IN 2	Temperature sensor 2
IN 3	Temperature sensor 3
IN 4	Temperature sensor 4
IN 5	Temperature sensor 5
IN 6	Humidity sensor

## Analog outputs

Out 1	Sp fan out
Out 2	Flap out

## Relay connections



## Relay connections

<b>Relay 1</b>	<b>Alarm</b>
<b>Relay 2</b>	<b>Heat Relay</b>
<b>Relay 3</b>	<b>Sp Fan Enable Relay</b>
<b>Relay 4</b>	<b>Fan 1</b>
<b>Relay 5</b>	<b>Fan 2</b>
<b>Relay 6</b>	<b>Fan 3</b>
<b>Relay 7</b>	<b>Timer 1</b>
<b>Relay 8</b>	<b>Cool</b>

## Hidden function list

Hidden Functions are functions are not found on the front panel function list and can be seen only after they are unlocked.

To unlock hidden function, follow these steps:

- A. Go to the function (function 01)
- B. Push on "PROG"
- C. Enter "3331" and then press "Enter".

Now the hidden functions will be unlocked and can be accessed.

<b><u>/* 66 */ LockCode,</u></b>
<b><u>/* 67 */ Navr,</u></b>
<b><u>/* 68 */ NetName,</u></b>
<b><u>/* 69 */ Dig inputs,</u></b>
<b><u>/* 70 */ Feed Mode, // 0 - feed count by time, 1 - feed count by pulse</u></b>
<b><u>/* 71 */ Intermittent mode, // 0 - no pulses in speed, 1 pulses</u></b>
<b><u>/* 72 */ Reverse 0 10V Fan, // 0 - 0-10V, 1 - 10-0V</u></b>
<b><u>/* 73 */ Reverse 0 10V Flap, // 0 - 0-10V, 1 - 10-0V</u></b>
<b><u>/* 74 */ Flap Min Step,</u></b>
<b><u>/* 75 */ Protocol,</u></b>
<b><u>/* 76 */ CAL Sensor1,</u></b>
<b><u>/* 77 */ CAL Sensor2,</u></b>
<b><u>/* 78 */ CAL Sensor3,</u></b>
<b><u>/* 79 */ CAL Sensor4,</u></b>
<b><u>/* 80 */ CAL Sensor5,</u></b>
<b><u>/* 81 */ CAL Hum,</u></b>
<b><u>/* 82 */ Fan1 Intermittant enable,</u></b>
<b><u>/* 83 */ Version</u></b>